

(10029)



Houghton International Inc.

Revision Date : 06/25/2012

Material Safety Data Sheet DRAWSOL WM 950

1. Chemical Product and Company Identification

Product Name	DRAWSOL WM 950	CHEMTREC Company Code	HOUH
Company Name	Houghton International Inc. Madison & Van Buren Aves Valley Forge, PA 19482	CHEMTREC Customer Number	10769
Company Name	Houghton Canada Inc. 115 Walker Drive, Unit B Brampton, ON L6T 5P5 Phone: 905-494-3770	FAX	(610) 666-1376
Website	www.houghtonintl.com	Customer Service	(888) 459-9844
Telephone	(610) 666-4000	Product Use	Metal Forming Lubricant
Emergency Phone Number	24 HOUR - (800) 424-9300 or (703) 527-3887 (CHEMTREC)		
Emergency Phone Number - Canada	24 HOUR - 613-996-6666 (CANUTEC)		

APPROVED MATERIAL

 JUL 13 2012

 MSDS # 10029
 APPROVED BY *[Signature]*

2. Hazardous Ingredients

Component	Cas No	% by Weight	Hazards
Ethoxylated Alcohol	68131-39-5	1-5	TLV: N/E PEL: N/E
Mineral Oil	64742-52-5	10-30	TLV: 5 mg/m ³ as oil mist PEL: 5 mg/m ³ as oil mist STEL: 10 mg/m ³ as oil mist Other:

N/E - Not Established; N/A - Not Applicable; Mfr - Manufacturer Recommendation
 TLV, STEL - ACGIH; PEL - OSHA

3. Hazards Identification

Primary Entry Routes: EYES, SKIN, INHALATION

Acute Effects:

- Inhalation: INHALATION OF MISTS MAY CAUSE IRRITATION OF THE UPPER RESPIRATORY TRACT.
- Eye: MAY CAUSE EYE IRRITATION.

**Material Safety Data Sheet
DRAWSOL WM 950****3. Hazards Identification - continued**

Skin	PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION.
Ingestion	INGESTION MAY CAUSE NAUSEA OR DISCOMFORT. ASPIRATION MAY CAUSE LUNG DAMAGE.
Carcinogenicity	THIS PRODUCT DOES NOT CONTAIN ANY COMPONENT REPORTABLE AS A CARCINOGEN UNDER 29 CFR 1910.1200.
Medical Conditions Aggravated by LongTerm Exposure	PRE-EXISTING SKIN AND RESPIRATORY CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.
Chronic Effects	SEE EFFECTS ABOVE.
HMIS:	
Health	1
Flammability	1
Physical Hazard	0

* indicates that there may be chronic health effects present

4. First Aid Measures

Inhalation	IF INHALED, REMOVE TO A SOURCE OF FRESH AIR.
Eye Contact	FLUSH EYES WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN.
Skin Contact	WASH SKIN WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRY BEFORE REUSING. CONSULT PHYSICIAN IF IRRITATION PERSISTS.
Ingestion	IF INGESTED, DO NOT INDUCE VOMITING! CONSULT PHYSICIAN.
Note to Physicians	NO SPECIFIC ANTIDOTE KNOWN. BASED ON INDIVIDUAL REACTIONS OF THE PATIENT, THE PHYSICIAN'S JUDGMENT SHOULD BE USED TO CONTROL SYMPTOMS AND CLINICAL CONDITIONS.

N/A - Not Applicable



Material Safety Data Sheet DRAWSOL WM 950

5. Fire Fighting Measures

Flash Point	395°F / 202°C
Method Used	CLEVELAND OPEN CUP
Autoignition Temperature	N/D
LEL	N/D
UEL	N/D
Extinguishing Media	USE CARBON DIOXIDE, DRY CHEMICAL OR FOAM. USE WATER TO COOL CONTAINERS EXPOSED TO FIRE.
Unusual Fire or Explosion Hazards	PRODUCT FLOATS ON WATER CREATING A POTENTIAL FLOATING FIRE HAZARD. COMBUSTION MAY PRODUCE HYDROGEN CHLORIDE.
Fire Fighting Instructions	WEAR PROTECTIVE GEAR DURING FIREFIGHTING. DO NOT DIRECT A SOLID STREAM OF WATER INTO BURNING POOLS. THIS MAY CAUSE FROTHING AND INCREASE FIRE INTENSITY.

NFPA:

Health	1
Flammability	1
Reactivity	0
Special	N/A

N/A - Not Applicable; ND - Not Determined; > - Greater Than; < - Less Than

6. Accidental Release Measures

Spill or Release Procedures	APPLY DRY ABSORBENT MATERIAL AND SWEEP UP THOROUGHLY.
-----------------------------	-------------------------------------------------------

7. Handling and Storage

Handling Precautions	USE WITH ADEQUATE VENTILATION. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING.
Storage Requirements	STORE SEPARATELY FROM OXIDIZERS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. STORE IN A COOL, DRY, WELL VENTILATED AREA. EMPTY CONTAINERS MAY CONTAIN HAZARDOUS VAPORS AND RESIDUE AND THEREFORE RETAIN ALL HAZARDS.

**Material Safety Data Sheet
DRAWSOL WM 950****8. Exposure Controls/Personal Protection**

Engineering Controls	PROVIDE GENERAL AND/OR LOCAL EXHAUST VENTILATION TO MAINTAIN AIRBORNE CONCENTRATIONS BELOW THE EXPOSURE LIMITS IN SECTION 2.
Personal Protective Equipment	
Eye/Face Protection	WEAR SAFETY GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS.
Skin Protection	USE CHEMICAL RESISTANT GLOVES AND LONG SLEEVES TO MINIMIZE SKIN EXPOSURE. USE APRON OR OVERALLS IF SPLASHING IS EXPECTED.
Respiratory Protection	USE AN APPROVED RESPIRATOR (SEE 29 CFR 1910.134) IF APPLICABLE EXPOSURE LIMITS ARE EXCEEDED.
Other	EYEWASH AND SAFETY SHOWER RECOMMENDED.
Comments	USE OF GLOVES AND OTHER SKIN PROTECTION DEPENDS ON THE DURATION OF EXPOSURE AND THE TASK BEING PERFORMED. IF NECESSARY, USE CHEMICALLY RESISTANT GLOVES SUCH AS BUTYL RUBBER, POLYEHTYLENE OR EQUIVALENT MATERIALS.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, or applying cosmetics.

9. Physical and Chemical Properties

Appearance	CLOUDY, YELLOW LIQUID	Water Solubility	EMULSIFIES
Odor	BLAND	Boiling Point	>350°F
Vapor Pressure (mmHg)	N/D	Freezing/ Melting Point	N/D
Vapor Density (Air = 1)	N/D	Evaporation Rate (BuAc = 1)	< 1
Specific Gravity (Water = 1)	0.86		

N/D - Not Determined; N/A - Not Applicable; > - Greater Than; < - Less Than

10. Stability and Reactivity

Stability	THIS PRODUCT IS STABLE AT ROOM TEMPERATURE IN CLOSED CONTAINERS UNDER NORMAL STORAGE AND HANDLING CONDITIONS.
Chemical Incompatibilities	AVOID CONTACT WITH STRONG OXIDIZERS.

**Material Safety Data Sheet
DRAWSOL WM 950****10. Stability and Reactivity - continued**

Hazardous Decomposition Products	THERMAL; OXIDES OF CARBON, TRACE OXIDES OF SULFUR, HYDROGEN CHLORIDE
Hazardous Polymerization	HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

11. Toxicological Information

NO DATA AVAILABLE

12. Ecological Information

NO DATA AVAILABLE

13. Disposal Considerations

Disposal	FOLLOW PERTINENT REGULATIONS FOR DISPOSAL. IT IS THE RESPONSIBILITY OF THE PRODUCT USER TO DETERMINE, AT THE TIME OF DISPOSAL, WHETHER A MATERIAL CONTAINING THE PRODUCT OR DERIVED FROM THE PRODUCT SHOULD BE CLASSIFIED AS A HAZARDOUS WASTE. (40 CFR 261.20-24)
RCRA Hazardous Waste Number	N/A

14. Transportation Information

Proper Shipping Name	NOT HAZARDOUS UNDER DOT, AIR OR IMO REGULATIONS.
TDG	NOT REGULATED UNDER THE CANADIAN TRANSPORTATION OF DANGEROUS GOODS REGULATION.

15. Regulatory Information

TSCA Section 8(b)	ALL OF THE COMPONENTS IN THIS PRODUCT ARE ON THE TSCA INVENTORY.
DSL	ALL OF THE COMPONENTS IN THIS PRODUCT ARE ON THE CANADIAN DSL. THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL OF THE INFORMATION REQUIRED BY THE CPR.

**Material Safety Data Sheet
DRAWSOL WM 950****15. Regulatory Information - continued**

CERCLA Reportable Quantity	NONE
SARA Title III, Section 313	THIS PRODUCT CONTAINS NO TOXIC CHEMICAL SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.
SCAQMD	SCAQMD RULE 1144: THIS PRODUCT HAS NOT BEEN TESTED FOR COMPLIANCE WITH CALIFORNIA'S SCAQMD RULE 1144 AND THEREFORE CANNOT BE USED AS A METAL WORKING FLUID OR AS A DIRECT CONTACT LUBRICANT IN CALIFORNIA'S SCAQMD REGION AS PER RULE 1144.
Ozone Depleting Substances	THIS PRODUCT WAS NOT MANUFACTURED, DOES NOT CONTAIN, AND WAS NOT PACKAGED USING ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCE AS DEFINED BY THE CLEAN AIR ACT.
WHMIS	D2B

16. Other Information

Date of Preparation:	25 June 2012
Prepared By	GARY CARL
Title	MANAGER, PRODUCT SAFETY
Telephone Number	(610) 666-4000

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate as of the date issued. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use are beyond our control, Houghton International makes no warranty regarding the accuracy of such data or its suitability for any purchaser's use or for any consequence of its use. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Safe handling and use remains the responsibility of the purchaser and the purchaser has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. Houghton International assumes no responsibility for injury to the recipient or to third persons or for any damage to any property and the recipient assumes all such risks.