

(10926)

# Material Safety Data Sheet



Revision Number: 003.0

Issue date: 09/25/2012

## 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Product name:</b>	ODC-Free Cleaner & Degreaser	<b>IDH number:</b>	231562
<b>Product use:</b>	Cleaner	<b>Item number:</b>	22355
		<b>Region:</b>	Canada
<b>Company address:</b>	<b>Contact information:</b>		
Henkel Corporation	Telephone: 905.814.6511		
2515 Meadowpine Boulevard	Emergency telephone: 905.814.6511		
Mississauga, Ontario L5N 6C3	Internet: www.henkelna.com		

## 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW	
<b>Physical state:</b>	liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	citrus-fruit-like
	<b>WHMIS hazard class:</b> A, B.3, D.2.B
<b>WARNING:</b>	<p>CONTENTS UNDER PRESSURE.  MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.  MAY BE HARMFUL IF SWALLOWED.  COMBUSTIBLE LIQUID AND VAPOR.</p>

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

### Potential Health Effects

<b>Inhalation:</b>	High Concentrations of vapors may cause harmful effects. Symptoms usually occur at air concentrations above the recommended exposure limits. Symptoms are typically seen at air concentrations exceeding the recommended exposure limits. May cause irritation to nose and throat. Dizziness. Headache. Nausea.
<b>Skin contact:</b>	May cause irritation due to defatting of the skin. Prolonged contact with skin may cause dermatitis. May be harmful if absorbed through skin.
<b>Eye contact:</b>	Direct spray or vapors will irritate and may harm eyes.
<b>Ingestion:</b>	Ingestion causes irritation and effects similar to inhalation. If swallowed, may be aspirated into the lungs resulting in inflammation and possible fluid accumulation.

Existing conditions aggravated by exposure: Other pre-existing skin conditions. Other respiratory disorders (bronchitis, emphysema, bronchial hyperreactivity).

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
Naphtha (petroleum), hydrotreated heavy Benzene < 0,1 %	64742-48-9	30 - 60
Distillates (petroleum), hydrotreated light	64742-47-8	30 - 60
D-Limonene	5989-27-5	10 - 30
Carbon dioxide	124-38-9	5 - 10

## 4. FIRST AID MEASURES

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

IDH number: 231562

**APPROVED MATERIAL**

NOV 09 2012

MSDS # 10926

APPROVED BY *[Signature]*

<b>Skin contact:</b>	Wash with soap and water. Remove contaminated clothing and footwear. If symptoms develop and persist, get medical attention.
<b>Eye contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. If eye irritation persists, consult a specialist.
<b>Ingestion:</b>	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

## 5. FIRE FIGHTING MEASURES

<b>Flash point:</b>	88 °C (190.4 °F)
<b>Flashback:</b>	This product exhibits no flashback when tested for flame extension.
<b>Flame projection:</b>	91.00 cm (35.83 inch)
<b>Autoignition temperature:</b>	Not available.
<b>Flammable/Explosive limits - lower:</b>	0.7 %
<b>Flammable/Explosive limits - upper:</b>	5 %
<b>Extinguishing media:</b>	Foam, dry chemical or carbon dioxide.
<b>Special firefighting procedures:</b>	Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA). Water may be unsuitable as an extinguishing media, but may be helpful in keeping adjacent containers cool. Avoid spreading liquid with water used for cooling purposes.
<b>Unusual fire or explosion hazards:</b>	Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.
<b>Hazardous combustion products:</b>	Oxides of carbon. Irritating organic vapours.
<b>Sensitivity to Mechanical Impact:</b>	Not available.
<b>Sensitivity to static discharge:</b>	Not available.

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

<b>Environmental precautions:</b>	Do not allow product to enter sewer or waterways.
<b>Clean-up methods:</b>	Spilled liquid is combustible and can be ignited by heat, flames, sparks, or other sources of ignition. Vapors are heavier than air and may travel along the ground or be moved by ventilation and subsequently ignited by heat, pilot lights or other ignition sources at locations distant from the material handling point. Remove all sources of ignition. Maintain good ventilation for large spills. Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean-up. Spilled material will solidify.

## 7. HANDLING AND STORAGE

<b>Handling:</b>	Keep container closed. Do not puncture or incinerate pressurized containers. Use only with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists of this product. Wash thoroughly after handling. Do not wear contact lenses. Keep out of the reach of children. Vapors will accumulate readily and may ignite explosively.
------------------	---

**Storage:**

Keep in a cool, well ventilated area away from heat, sparks and open flame.  
Keep container tightly closed until ready for use.

For information on product shelf life contact Henkel Canada Customer Service at 800-263-5043.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Naphtha (petroleum), hydrotreated heavy Benzene < 0,1 %	None	None	None	196 ppm TWA
Distillates (petroleum), hydrotreated light	None	None	None	None
D-Limonene	None	None	30 ppm (165.5 mg/m3) TWA	None
Carbon dioxide	5,000 ppm TWA 30,000 ppm STEL	5,000 ppm (9,000 mg/m3) TWA	None	None

**Engineering controls:**

Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits. Provide local ventilation for prolonged use in a confined area. In case of insufficient ventilation, wear suitable respiratory equipment.

**Respiratory protection:**

Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

**Eye/face protection:**

Safety goggles or safety glasses with side shields.

**Skin protection:**

Permeation resistant gloves (butyl rubber, nitrile rubber, polyvinyl alcohol).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	citrus-fruit-like
<b>Odor threshold:</b>	Not available.
<b>pH:</b>	Not available.
<b>Vapor pressure:</b>	5 mm hg (20 °C (68°F))
<b>Boiling point/range:</b>	> 148 °C (> 298.4 °F)
<b>Melting point/ range:</b>	Not available.
<b>Specific gravity:</b>	0.7718
<b>Specific gravity:</b>	0.7718
<b>Vapor density:</b>	Heavier than air
<b>Flash point:</b>	88 °C (190.4 °F)
<b>Flashback:</b>	This product exhibits no flashback when tested for flame extension.
<b>Flame projection:</b>	91.00 cm (35.83 inch)
<b>Flammable/Explosive limits - lower:</b>	0.7 %
<b>Flammable/Explosive limits - upper:</b>	5 %
<b>Autoignition temperature:</b>	Not available.
<b>Evaporation rate:</b>	Not available.
<b>Solubility in water:</b>	Insoluble
<b>Solubility in water:</b>	Insoluble
<b>Partition coefficient (n-octanol/water):</b>	Not available.
<b>VOC content:</b>	100 %, 780 g/l

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable
<b>Hazardous reactions:</b>	Will not occur.
<b>Hazardous decomposition products:</b>	Hydrocarbons.
<b>Incompatible materials:</b>	Strong oxidizing agents. Acids and bases.
<b>Conditions to avoid:</b>	Heat, flames, sparks and other sources of ignition. Fire or intense heat may cause violent rupture of packages.

## 11. TOXICOLOGICAL INFORMATION

**Toxicologically synergistic products:** Not available.

Refer to the following for Irritancy of Product, Sensitization to Product, Carcinogenicity, Reproductive Toxicity, Teratogenicity, and Mutagenicity.

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)	ACGIH Carcinogen
Naphtha (petroleum), hydrotreated heavy Benzene < 0,1 %	No	No	No	No
Distillates (petroleum), hydrotreated light	No	No	No	No
D-Limonene	No	No	No	No
Carbon dioxide	No	No	No	No

Hazardous components	LD50s and LC50s	Health Effects/Target Organs
Naphtha (petroleum), hydrotreated heavy Benzene < 0,1 %	None	Irritant
Distillates (petroleum), hydrotreated light	None	Irritant, Lung
D-Limonene	None	Irritant
Carbon dioxide	None	Central nervous system

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

## 14. TRANSPORT INFORMATION

### Canada Transportation of Dangerous Goods - Ground

**Proper shipping name:** AEROSOLS  
**Hazard class or division:** 2.2  
**Identification number:** UN 1950  
**Packing group:** None

### International Air Transportation (ICAO/IATA)

**Proper shipping name:** Aerosols, non-flammable  
**Hazard class or division:** 2.2  
**Identification number:** UN 1950  
**Packing group:** None

**Water Transportation (IMO/IMDG)**

Proper shipping name:	AEROSOLS (Dipentene)
Hazard class or division:	2.2
Identification number:	UN 1950
Packing group:	None
Marine pollutant:	Dipentene

**15. REGULATORY INFORMATION**

**Canada Regulatory Information**

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

**United States Regulatory Information**

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

**16. OTHER INFORMATION**

This material safety data sheet contains changes from the previous version in sections: Reviewed MSDS. Reissued with new date.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR), and the MSDS contains all the information required by the CPR.

Prepared by: Lou Fabrizio, Regulatory Affairs Specialist

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.