

(11125)

4508.09400 TRUGLZ GLO SYEL 4508-940

SECTION 1

PRODUCT IDENTIFIER 4508.09400 TRUGLZ GLO SYEL 4508-940
 DATE OF PREPARATION NOVEMBER 30, 2012
 PRODUCT USE PROTECTIVE COATING
 MANUFACTURED BY: AKZO NOBEL PAINTS LLC, 15885 WEST SPRAGUE ROAD,
 STRONGSVILLE, OHIO 44136, U.S.A
 AKZO NOBEL CANADA INC., 8200 KEELE STREET,
 CONCORD, ONTARIO L4K 2A5, CANADA.
 EMERGENCY AND MSDS TELEPHONE NUMBER:
 1-800-545-2643
 MSDS PREPARED BY: PRODUCT SAFETY AND COMPLIANCE DEPARTMENT
 AKZO NOBEL PAINTS LLC

APPROVED MATERIAL
 APR 01 2013
 MSDS # 11125
 APPROVED BY *[Signature]*

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	WT. %:
CHEMICAL NAME BENZENE, ETHYL-- COMMON NAME : ETHYLBENZENE CAS NUMBER: 100-41-4	1-5
CHEMICAL NAME BENZENEMETHANOL COMMON NAME : BENZYL ALCOHOL CAS NUMBER: 100-51-6	1-5
CHEMICAL NAME BENZENE, DIMETHYL-- COMMON NAME : XYLENE CAS NUMBER: 1330-20-7	10-20
CHEMICAL NAME TITANIUM OXIDE COMMON NAME : TITANIUM DIOXIDE CAS NUMBER: 13463-67-7	5-10
CHEMICAL NAME QUARTZ COMMON NAME : QUARTZ CAS NUMBER: 14808-60-7	1-5
CHEMICAL NAME NEPHELINE SYENITE COMMON NAME : FELDSPAR-TYPE MINERALS CAS NUMBER: 37244-96-5	20-30
CHEMICAL NAME BUTANAMIDE, 2-((2-METHOXY-4-NITROPHENYL)AZO)- -N-(2-METHOXYPHENYL)-3-OXO- COMMON NAME : PIGMENT YELLOW 74 CAS NUMBER: 6358-31-2	1-5
CHEMICAL NAME SOLVENT NAPHTHA (PETROLEUM), LIGHT AROMATIC COMMON NAME : LIGHT AROMATIC SOLVENT NAPHTHA CAS NUMBER: 64742-95-6	1-5
CHEMICAL NAME FATTY ACIDS, C18-UNSATURATED, DIMERS, POLYMERS WITH TALL-OIL FATTY ACIDS AND TRIETHYLENETETRAMINE COMMON NAME : POLYAMIDE RESIN CAS NUMBER: 68082-29-1	30-40
CHEMICAL NAME SILANE, DICHLORODIMETHYL-, REACTION PRODUCTS WITH SILICA COMMON NAME : SILICA CAS NUMBER: 68611-44-9	1-5
CHEMICAL NAME BENZENE, 1,2,4-TRIMETHYL-- COMMON NAME : PSEUDOCUMENE CAS NUMBER: 95-63-6	1-5
CHEMICAL NAME BENZENE, (1-METHYLETHYL)- COMMON NAME : CUMENE CAS NUMBER: 98-82-8	.1-1.0

SECTION 3: HAZARDS IDENTIFICATION

PRIMARY ROUTE(S) OF EXPOSURE

INHALATION, SKIN CONTACT, EYE CONTACT, INGESTION.

EFFECTS OF OVEREXPOSURE

INHALATION PROLONGED INHALATION MAY LEAD TO MUCOUS MEMBRANE IRRITATION,
 FATIGUE, DROWSINESS, DIZZINESS AND/OR LIGHTHEADEDNESS,

	HEADACHE, UNCOORDINATION, NAUSEA, VOMITING, DIARRHEA, ABDOMINAL PAIN, BLURRED VISION, SORE THROAT, COUGHING, DIFFICULTY WITH SPEECH, CENTRAL NERVOUS SYSTEM DEPRESSION, INTOXICATION, TIGHTNESS OF CHEST, ANESTHETIC EFFECT OR NARCOSIS, DIFFICULTY OF BREATHING, TREMORS, ABNORMAL BLOOD PRESSURE, SEVERE LUNG IRRITATION OR DAMAGE, LIVER DAMAGE, KIDNEY DAMAGE, PULMONARY EDEMA, CONVULSIONS, LOSS OF CONSCIOUSNESS, RESPIRATORY FAILURE, ASPHYXIATION, DEATH.
SKIN CONTACT	IRRITATION OF SKIN. PROLONGED OR REPEATED CONTACT CAN CAUSE DERMATITIS, DEFATTING, BLISTERING, ALLERGIC RESPONSE. POSSIBLE SENSITIZATION TO SKIN. SKIN CONTACT MAY RESULT IN DERMAL ABSORPTION OF COMPONENT(S) OF THIS PRODUCT WHICH MAY CAUSE DIZZINESS AND/OR LIGHTHEADEDNESS, HEADACHE, UNCOORDINATION, NAUSEA, VOMITING, DIARRHEA, CENTRAL NERVOUS SYSTEM DEPRESSION, ANESTHETIC EFFECT OR NARCOSIS, CONVULSIONS, LOSS OF CONSCIOUSNESS.
EYE CONTACT	IRRITATION OF EYES. PROLONGED OR REPEATED CONTACT CAN CAUSE CONJUNCTIVITIS, BLURRED VISION, TEARING OF EYES, REDNESS OF EYES, SEVERE EYE IRRITATION, SEVERE EYE IRRITATION OR BURNS, CORNEAL INJURY.
INGESTION	INGESTION MAY CAUSE LUNG INFLAMMATION AND DAMAGE DUE TO ASPIRATION OF MATERIAL INTO LUNGS, DIZZINESS AND/OR LIGHTHEADEDNESS, HEADACHE, UNCOORDINATION, NAUSEA, VOMITING, DIARRHEA, GASTRO-INTESTINAL DISTURBANCES, ABDOMINAL PAIN, CENTRAL NERVOUS SYSTEM DEPRESSION, DIFFICULTY OF BREATHING, LIVER DAMAGE, KIDNEY DAMAGE, PULMONARY EDEMA, CONVULSIONS, LOSS OF CONSCIOUSNESS.
MEDICAL CONDITIONS	AGGRAVATED BY EXPOSURE EYE, SKIN, RESPIRATORY DISORDERS, LUNG DISORDERS, ASTHMA-LIKE CONDITIONS, KIDNEY DISORDERS, LIVER DISORDERS.

SECTION 4: FIRST-AID MEASURES

INHALATION	REMOVE TO FRESH AIR. RESTORE AND SUPPORT CONTINUED BREATHING. GET EMERGENCY MEDICAL ATTENTION. HAVE TRAINED PERSON GIVE OXYGEN IF NECESSARY. GET MEDICAL HELP FOR ANY BREATHING DIFFICULTY. REMOVE TO FRESH AIR IF INHALATION CAUSES EYE WATERING, HEADACHES, DIZZINESS, OR OTHER DISCOMFORT.
SKIN CONTACT	WASH THOROUGHLY WITH SOAP AND WATER. IF ANY PRODUCT REMAINS, GENTLY RUB PETROLEUM JELLY, VEGETABLE OR MINERAL/BABY OIL ONTO SKIN. REPEATED APPLICATIONS MAY BE NEEDED. REMOVE CONTAMINATED CLOTHING. WASH CONTAMINATED CLOTHING BEFORE RE-USE.
EYE CONTACT	FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER, ESPECIALLY UNDER LIDS FOR AT LEAST 15 MINUTES. IF IRRITATION OR OTHER EFFECTS PERSIST, OBTAIN MEDICAL TREATMENT.
INGESTION	IF SWALLOWED, OBTAIN MEDICAL TREATMENT IMMEDIATELY.

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT (SETA)	79 F./ 26 C. LOWER EXPLOSIVE LIMIT NOT AVAILABLE UPPER EXPLOSIVE LIMIT NOT AVAILABLE
FIRE EXTINGUISHING MEDIA	DRY CHEMICAL OR FOAM WATER FOG. CARBON DIOXIDE.
UNUSUAL FIRE AND EXPLOSION HAZARDS	CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT OR FIRE. VAPORS MAY IGNITE EXPLOSIVELY AT AMBIENT TEMPERATURES. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL LONG DISTANCES TO A SOURCE OF IGNITION AND FLASH BACK. VAPORS CAN FORM EXPLOSIVE MIXTURES IN AIR AT ELEVATED

TEMPERATURES.

CLOSED CONTAINERS MAY BURST IF EXPOSED TO EXTREME HEAT OR FIRE.

MAY DECOMPOSE UNDER FIRE CONDITIONS EMITTING IRRITANT AND/OR TOXIC GASES.

FIRE FIGHTING PROCEDURES

WATER MAY BE USED TO COOL AND PROTECT EXPOSED CONTAINERS.

FIREFIGHTERS SHOULD USE FULL PROTECTIVE CLOTHING, EYE PROTECTION, AND SELF-CONTAINED BREATHING APPARATUS.

HAZARDOUS DECOMPOSITION OR COMBUSTION PRODUCTS

CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN, TOXIC GASES.

SECTION 6 ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

COMPLY WITH ALL APPLICABLE HEALTH AND ENVIRONMENTAL REGULATIONS.

ELIMINATE ALL SOURCES OF IGNITION. VENTILATE AREA.

VENTILATE AREA WITH EXPLOSION-PROOF EQUIPMENT. SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIALS. USE NON-SPARKING TOOLS. EVACUATE ALL UNNECESSARY PERSONNEL. PLACE COLLECTED MATERIAL IN PROPER CONTAINER. COMPLETE PERSONAL PROTECTIVE EQUIPMENT MUST BE USED DURING CLEANUP.

LARGE SPILLS - SHUT OFF LEAK IF SAFE TO DO SO. DIKE AND CONTAIN SPILL. PUMP TO STORAGE OR SALVAGE VESSELS. USE ABSORBENT TO PICK UP EXCESS RESIDUE. KEEP SALVAGEABLE

MATERIAL AND RINSE WATER OUT OF SEWERS AND WATER COURSES.

SMALL SPILLS - USE ABSORBENT TO PICK UP RESIDUE AND DISPOSE OF PROPERLY.

SECTION 7 HANDLING AND STORAGE

HANDLING AND STORAGE

STORE BELOW 80F.

STORE IN ORIGINAL CONTAINERS. ISOLATED STORAGE IS DESIRABLE. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME.

OTHER PRECAUTIONS

USE ONLY WITH ADEQUATE VENTILATION. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH SKIN AND EYES, AND BREATHING OF VAPORS. WASH HANDS THOROUGHLY AFTER HANDLING, ESPECIALLY BEFORE EATING OR SMOKING.

KEEP CONTAINERS TIGHTLY CLOSED AND UPRIGHT WHEN NOT IN USE.

AVOID CONDITIONS WHICH RESULT IN FORMATION OF INHALABLE PARTICLES SUCH AS SPRAYING OR ABRADING (SANDING) PAINTED SURFACES. IF SUCH CONDITIONS CANNOT BE AVOIDED, USE APPROPRIATE RESPIRATORY PROTECTION AS DIRECTED UNDER EXPOSURE CONTROLS/PERSONAL PROTECTION.

EMPTY CONTAINERS MAY CONTAIN HAZARDOUS RESIDUES.

GROUND EQUIPMENT WHEN TRANSFERRING TO PREVENT ACCUMULATION OF STATIC CHARGE.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

COMMON NAME : ETHYLBENZENE

CAS NUMBER: 100-41-4

ACGIH(TWA): 20 PPM OSHA(TWA): 100 PPM

ACGIH(STEL): 125 PPM

COMMON NAME : XYLENE

CAS NUMBER: 1330-20-7

ACGIH(TWA): 100 PPM OSHA(TWA): 100 PPM

ACGIH(STEL): 150 PPM

COMMON NAME : TITANIUM DIOXIDE

CAS NUMBER: 13463-67-7

ACGIH(TWA): 10 MG/M3 OSHA(TWA): 10 MG/M3

COMMON NAME : QUARTZ

CAS NUMBER: 14808-60-7

ACGIH(TWA): .025 MG/M3 OSHA(TWA): 0.1 MG/M3
 COMMON NAME : LIGHT AROMATIC SOLVENT NAPHTHA
 CAS NUMBER: 64742-95-6
 OSHA(TWA): 500X PPM
 COMMON NAME : CUMENE
 CAS NUMBER: 98-82-8
 ACGIH(TWA): 50 PPM OSHA(TWA): 50 PPM
 OSHA (SKIN) : SKIN CEILING: SUPP REC STD.: NOT AVAILABLE
 X AS PETROLEUM DISTILLATES

RESPIRATORY PROTECTION

CONTROL ENVIRONMENTAL CONCENTRATIONS BELOW APPLICABLE EXPOSURE STANDARDS WHEN USING THIS MATERIAL. WHEN RESPIRATORY PROTECTION IS DETERMINED TO BE NECESSARY, USE A NIOSH/MSHA (CANADIAN Z94.4) APPROVED ELASTOMERIC SEALING-SURFACE FACEPIECE RESPIRATOR OUTFITTED WITH ORGANIC VAPOR CARTRIDGES AND PAINT SPRAY (DUST/MIST) PREFILTERS. DETERMINE THE PROPER LEVEL OF PROTECTION BY CONDUCTING APPROPRIATE AIR MONITORING. CONSULT 29CFR1910.134 FOR SELECTION OF RESPIRATORS (CANADIAN Z94.4).

VENTILATION

PROVIDE DILUTION VENTILATION OR LOCAL EXHAUST TO PREVENT BUILD-UP OF VAPORS.
 USE EXPLOSION-PROOF EQUIPMENT. USE NON-SPARKING EQUIPMENT.

PERSONAL PROTECTIVE EQUIPMENT

EYE WASH, SAFETY SHOWER, SAFETY GLASSES OR GOGGLES.
 IMPERVIOUS GLOVES, IMPERVIOUS CLOTHING, FACE SHIELD, APRON, BOOTS.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

VAPOR PRESSURE:	NOT AVAILABLE	SPECIFIC GRAVITY:	1.206
BOILING RANGE (F/C):	NOT AVAILABLE	WEIGHT PER GALLON:	10.05/ 12.07IMP
%VOLATILE BY VOLUME:	NOT DETERMINED		
PHYSICAL STATE:	LIQUID	APPEARANCE	YELLOW
SOLUBILITY IN WATER:	NOT AVAILABLE	PH:	NOT AVAILABLE

SECTION 10: STABILITY AND REACTIVITY**UNDER NORMAL CONDITIONS**

STABLE
 SEE SECTION 5 FIRE FIGHTING MEASURES

MATERIALS TO AVOID

OXIDIZERS, ACIDS, BASES, ALDEHYDES, ISOCYANATES, AMINES, ALUMINUM, NITRIC ACID, MINERAL ACIDS.

CONDITIONS TO AVOID

ELEVATED TEMPERATURES, CONTACT WITH OXIDIZING AGENT, SPARKS, OPEN FLAME, IGNITION SOURCES.

HAZARDOUS POLYMERIZATION

WILL NOT OCCUR

SECTION 11: TOXICOLOGICAL INFORMATION

COMMON NAME : ETHYLBENZENE

CAS NUMBER: 100-41-4

CARCINOGENICITY LISTED BY: NTP NO IARC YES 2B OSHA NO ACGIH YES A3

LD50: 3500.00 MG/KG ORL RAT

LD50: 15.35 GM/KG SKN RBT

LC50: 17.20 MG/L/4 HR IHL RAT

COMMON NAME : BENZYL ALCOHOL

CAS NUMBER: 100-51-6

CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO

LD50: 1230.00 MG/KG ORL RAT

LD50: 2.00 GM/KG SKN RBT

LC50: 1000.00 PPM/8H IHL RAT

COMMON NAME : XYLENE

CAS NUMBER: 1330-20-7

CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO

4508.09400 TRUGLZ GLO SYEL 4508-940

LD50:>1700.00 MG/KG SKN RBT
 LD50: 4300.00 MG/KG ORL RAT
 LC50: 5000.00 PPM/4HR IHL RAT
 COMMON NAME : TITANIUM DIOXIDE
 CAS NUMBER: 13463-67-7
 CARCINOGENICITY LISTED BY: NTP YES 2B IARC YES 2B OSHA NO ACGIH NO
 LD50: 24.00 GM/KG ORL RAT
 LC50: 6820.00 MG/M3/4HR IHL RAT
 COMMON NAME : QUARTZ
 CAS NUMBER: 14808-60-7
 CARCINOGENICITY LISTED BY: NTP YES IARC YES 1 OSHA NO ACGIH YES A2
 COMMON NAME : FELDSPAR-TYPE MINERALS
 CAS NUMBER: 37244-96-5
 CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO
 COMMON NAME : PIGMENT YELLOW 74
 CAS NUMBER: 6358-31-2
 CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO
 COMMON NAME : LIGHT AROMATIC SOLVENT NAPHTHA
 CAS NUMBER: 64742-95-6
 CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO
 LD50:> 5.00 GM/KG ORL RAT
 LC50:>3670.00 PPM IHL RAT
 COMMON NAME : POLYAMIDE RESIN
 CAS NUMBER: 68082-29-1
 CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO
 LD50:>5000.00 MG/KG ORL RAT
 COMMON NAME : SILICA
 CAS NUMBER: 68611-44-9
 CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO
 COMMON NAME : PSEUDOCUMENE
 CAS NUMBER: 95-63-6
 CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO
 LD50: 5.00 GM/KG ORL RAT
 COMMON NAME : CUMENE
 CAS NUMBER: 98-82-8
 CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO
 LD50: 1400.00 MG/KG ORL RAT
 LD50: 12.75 GM/KG ORL MOU
 SUPPLEMENTAL HEALTH INFORMATION
 CONTAINS A CHEMICAL THAT IS MODERATELY TOXIC BY INGESTION.
 CONTAINS A CHEMICAL THAT MAY BE ABSORBED THROUGH SKIN.
 NOTICE - REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED
 OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN
 AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY
 DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS
 MAY BE HARMFUL OR FATAL.
 OTHER EFFECTS OF OVEREXPOSURE MAY INCLUDE TOXICITY TO LIVER,
 KIDNEY, CENTRAL NERVOUS SYSTEM, BLOOD.
 CARCINOGENICITY IN LONG TERM (2 YEAR) INHALATION STUDIES, THE NATIONAL
 TOXICOLOGY PROGRAM (NTP) FOUND CLEAR EVIDENCE OF
 CARCINOGENIC ACTIVITY IN MICE AND MALE RATS AND SOME
 EVIDENCE OF CARCINOGENIC ACTIVITY IN FEMALE RATS EXPOSED
 TO CUMENE.
 CONTAINS CRYSTALLINE SILICA WHICH IS CONSIDERED A HAZARD BY
 INHALATION. IARC HAS CLASSIFIED CRYSTALLINE SILICA AS
 CARCINOGENIC TO HUMANS (GROUP 1). CRYSTALLINE SILICA IS ALSO
 A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE.
 THE NATIONAL TOXICOLOGY PROGRAM (NTP) HAS CLASSIFIED
 CRYSTALLINE SILICA AS A KNOWN HUMAN CARCINOGEN.
 THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) HAS
 EVALUATED ETHYLBENZENE AND CLASSIFIED IT AS A POSSIBLE HUMAN
 CARCINOGEN (GROUP 2B) BASED ON SUFFICIENT EVIDENCE FOR

CARCINOGENICITY IN EXPERIMENTAL ANIMALS, BUT INADEQUATE EVIDENCE FOR CANCER IN EXPOSED HUMANS.

IN A 2 YEAR INHALATION STUDY CONDUCTED BY THE NATIONAL TOXICOLOGY PROGRAM (NTP), ETHYLBENZENE VAPOR AT 750 PPM PRODUCED KIDNEY AND TESTICULAR TUMORS IN RATS AND LUNG AND LIVER TUMORS IN MICE. GENETIC TOXICITY STUDIES SHOWED NO GENOTOXIC EFFECTS. THE RELEVANCE OF THESE RESULTS TO HUMANS IS NOT KNOWN.

THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) HAS CLASSIFIED TITANIUM DIOXIDE AS POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B) BASED ON INADEQUATE EVIDENCE OF CARCINOGENICITY IN HUMANS AND SUFFICIENT EVIDENCE OF CARCINOGENICITY IN EXPERIMENTAL ANIMALS.

REPRODUCTIVE EFFECTS

HIGH EXPOSURES TO XYLENE IN SOME ANIMAL STUDIES, OFTEN AT MATERNALLY TOXIC LEVELS, HAVE AFFECTED EMBRYO/FETAL DEVELOPMENT. THE SIGNIFICANCE OF THIS FINDING TO HUMANS IS NOT KNOWN.

MUTAGENICITY

NO MUTAGENIC EFFECTS ARE ANTICIPATED

TERATOGENICITY

NO TERATOGENIC EFFECTS ARE ANTICIPATED

SECTION 12: ECOLOGICAL INFORMATION

NO ECOLOGICAL TESTING HAS BEEN DONE BY AKZO NOBEL PAINTS LLC ON THIS PRODUCT AS A WHOLE.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS. AVOID DISCHARGE TO NATURAL WATERS.

SECTION 14: TRANSPORT INFORMATION

DOT	UN1263, PAINT, 3, PGIII
IMDG	NOT AVAILABLE
IATA	NOT AVAILABLE
TDG	NOT AVAILABLE

SECTION 15: REGULATORY INFORMATION

		SARA 302	SARA 313	CERCLA 302.4	HAZ AIR POLLUTANT	MARINE POLYNT
CAS NUMBER:	100-41-4	NO	YES	YES	YES	NO
COMMON NAME :	ETHYLBENZENE					
CAS NUMBER:	1330-20-7	NO	YES	YES	YES	NO
COMMON NAME :	XYLENE					
CAS NUMBER:	95-63-6	NO	YES	NO	NO	NO
COMMON NAME :	PSEUDOCUMENE					
CAS NUMBER:	98-82-8	NO	YES	YES	YES	
COMMON NAME :	CUMENE					

AS OF THE DATE OF THIS MSDS, ALL OF THE COMPONENTS IN THIS PRODUCT ARE LISTED (OR ARE OTHERWISE EXEMPT FROM LISTING) ON THE TSCA INVENTORY.

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR (CONTROLLED PRODUCTS REGULATIONS) AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

SECTION 16: OTHER INFORMATION

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE AT THE TIME OF PREPARATION OF THIS DATA SHEET AND WHICH AKZO NOBEL PAINTS LLC BELIEVES TO BE RELIABLE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA. AKZO NOBEL PAINTS LLC SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS INFORMATION, OR OF ANY PRODUCT, METHOD OR APPARATUS MENTIONED AND YOU MUST MAKE YOUR OWN DETERMINATION OF ITS SUITABILITY AND COMPLETENESS FOR YOUR

4508.09400 TRUGLZ GLO SYEL 4508-940

OWN USE, FOR THE PROTECTION OF THE ENVIRONMENT, AND THE
HEALTH AND SAFETY OF YOUR EMPLOYEES AND USERS OF THIS
MATERIAL.
COMPLIES WITH OSHA HAZARD COMMUNICATION STANDARD
29CFR1910.1200.